

**TOOLMASTER ATW-113S**

**Air Impact Wrench - Stubby**

**500 Ft/lb (678 Nm) Max Torque**



**TOOLMASTER Air Impact Wrench - Stubby ATW-113S**



Rear View



Half Inch Square Drive



3 Forward and 1 Reverse Speed Selector



Handle Exhaust with Muffler



Included Parts

**Description**

The Toolmaster 1/2" drive stubby air impact wrench is only 113mm long allowing for greater access to tight and limited spaces. Its alloy front case and back cover with a composite body only weighs 1.35kg but delivers a powerful 500 ft-lb (678 Nm) of torque.

**Features**

- Delivers an impressive max torque of 500 ft-lb (678 Nm) with 10,000 rpm free speed
- Jumbo hammer mechanism providing a huge torque output with reasonable air consumption.
- Compact body only 113mm in length
- Light weight Composite body, weighing 1.35kg
- Rubber grip for reduced vibration and temperature stability
- 4 position speed selector (3 forward & 1 reverse)
- Handle exhaust with muffler
- Ideal tool for applications in automotive repair, engineering or home workshop

**TOOLMASTER Air Impact Wrench - Stubby ATW-113S**

**Specifications**

<b>ORDER CODE</b>	A025
<b>MODEL</b>	ATW-113S
<b>Type</b>	Air Impact Wrench Stubby
<b>Capacity</b>	1/2" Square Drive
<b>Max Torque (ft-lb / Nm)</b>	500 / 678
<b>Clutch Type</b>	Jumbo Hammer
<b>Punch Hole Diameter (mm)</b>	~
<b>Flange Capacity</b>	~
<b>Piston Stroke (mm)</b>	~
<b>Stroke Length (mm)</b>	~
<b>Free Speed (rpm)</b>	10,000
<b>Speed Range (rpm)</b>	~
<b>No Load Speed (rpm)</b>	~
<b>Blows Per Minute (BPM)</b>	~
<b>Air Consumption (CFM/ L/min)</b>	4 / 113
<b>Vibration Level (m/s<sup>2</sup>)</b>	~
<b>Sound Pressure Level (dBA)</b>	~
<b>Sound Power Level (dBA)</b>	~
<b>Rated Power (HP)</b>	~
<b>Traction Power (kg/cm)</b>	~
<b>Air Pressure (psi)</b>	90
<b>Air inlet (inch)</b>	1/4" BSPT
<b>Length (mm)</b>	113
<b>Weight (Kg)</b>	1.35