

**HAFCO VJ-680**



**Hydraulic Vehicle Positioning Jacks**

**680kg**



**HAFCO Hydraulic Vehicle Positioning Jacks VJ-680**



Side View



Right View



Left View



Front View



Front View Extended



Side View Extended



Right Side Extended



2 x Swivel Brake Wheels



2 x Swivel Wheels



Lock Pin For Ram



Carry Handle



Positioning Jack in Place 2



Closing Release Valve Ready for Pumping Jack



Hydraulic Foot Pump



Inserting Safety Lock Pin




Wheel Jacked Ready to Move Vehicle

## HAFCO Hydraulic Vehicle Positioning Jacks VJ-680



Under Car Rear View



Under Car Rear View 3



Shown Lifting Small Truck Wheel Front View



Foot Pedal Position Lock

### Description

The VJ-680 Vehicle Positioning Jacks will save you time and money; the portable hassle free jack-dolly combo lifts cars in seconds, and then allows you to move it effortlessly across a floor. NO MORE four-person crews straining to move a car. NO MORE crushed oil pans or unnecessary damage.

There's no jack like a VJ-680 jack. Its twin rollers slide around the tire and squeeze upward, lifting the tyre smoothly off the ground in seconds with a few pumps of the hydraulic foot pedal.

The low friction, with 360° caster wheels lets you spin, side load, and position the car without damaging the floor or the car, faster and safer than floor jacks and at a fraction of the cost of electric carts.

### Features

- Steel constructed frame & hydraulic unit
- Aluminium contact lift rollers for addition strength
- 4 x 360° heavy duty swivel wheels on each positioning jack, 2 x wheels include a safety lock
- Hydraulic ram housed within steel frame preventing damage to ram & seals

### Includes

- 2 x Positioning Jacks

### Specifications

<b>ORDER CODE</b>	A332
<b>MODEL</b>	VJ-680
<b>Lifting Capacity per Jack (kg)</b>	680
<b>Maximum Tyre Width (mm)</b>	270
<b>Roller Opening (Min-Max) (mm)</b>	350~620
<b>Weight per Jack (kg)</b>	18.5