

HAFCO-METALMASTER PD-35



Industrial Pedestal Drill - Belt Drive

Table rotates 360°




HAFCO-METALMASTER Industrial Pedestal Drill - Belt Drive PD-35



Drill Head



Emergency Stop



Drilling Depth Stop Setting With Scale



Drill Chuck Safety Guard With Micro Switch



Drill Chuck



Table Rack Pinion Wind Up




Cast Iron Table Rotates 360 Degree



Belt Tension & Lock Lever



B Section Belt Drive System



Speed Chart



Heavy Duty Base with T Slot



ON / OFF Power Switch



240V 1HP Motor

HAFCO-METALMASTER Industrial Pedestal Drill - Belt Drive PD-35

Description

If you are in the market for a superior quality industrial belt drive drilling machine with a capacity of Ø31.5mm, and need it to take some serious work load duration then this machine would definitely perform to the task. This PD-35 pedestal drill manufactured in Taiwan to precision engineering tolerance & excellence will certainly transform your drilling holes experience to the next level of expertise.

What makes this machine different from the others is that the casting have been made heavier & thicker walled, which in this case relates to a total weight of 143kg on this model, that is approximately 30% heavier to its rival in this range.

The PD-35 drill has been designed to include large B section drive belts to ensure a much superior drive is achieved and less belt slippage when using larger drill bits.

Therefore, this range of drilling machines offers all the basic feature necessities to outperform & outlast the competitor machines all day everyday.

Features

- Ideal for industrial workshop use
- Quiet B section V-belt drive system
- Quick action belt tensioning lever
- Adjustable safety drilling chuck guard with micro switch
- Safety micro switch on pulley guard
- Safety magnetic-type switch
- Emergency stop switch
- Rack & pinion table height adjustment with locking lever
- Thick walled column ensuring greater rigidity
- Table rotates 360°
- Drilling depth stop setting with scale
- T slotted work table
- 9 Spindle speeds - 180, 300, 320, 310, 430, 480, 620, 1050, 1200, 1680rpm
- 240V Fan-cooled motor rated for continuous use with overload protection
- Made in Taiwan

Includes

- Drill chuck & arbor
- Chuck key to suit
- Drill drift

Specifications

ORDER CODE	D162
MODEL	PD-35
Type - Bench / Pedestal	Pedestal
Duty Type	Industrial-Duty
Drilling Diameter Capacity (mm)	Ø31.5
Spindle Taper (MT)	3
Spindle Travel (mm)	125
Throat Depth (mm)	225
Quill Diameter (mm)	72

HAFCO-METALMASTER Industrial Pedestal Drill - Belt Drive PD-35

Collar Diameter (mm)	92
Column Diameter (mm)	92
Spindle To Table (mm)	730
Spindle To Base (mm)	1175
Table Shape	Square
Table Size (mm)	350 x 350
Work Light	~
Micro Switch On Pulley Guard	Yes
Drive Belt Type	B Section
Spindle Speed Steps (No.)	9
Spindle Speed Range (rpm)	180 - 1680
Motor Power (kW / hp)	0.75 / 1
Voltage / Amperage (V / amp)	240 / 10
Overall Height (mm)	1700
Nett Weight (kg)	145