

HAFCO 2550 x 1250mm BuildPro Max Modular Welding Table - Nitrided - Package Deal TMQD626125F**Description**

BuildPro® Models

NEW REVERSIBLE SELF-LOCATING TABLE PLATES!

Get longer wear from your BuildPro® Table.

When the surface of your BuildPro® Table plates show signs of wear, turn them over to provide a new work surface. New, Patented Bushing design allows you to remove, re-position, re-align, and reverse the table plates!

The very practical, modular design of the BuildPro® Table makes it easy to set-up and tear down for job at hand, big or small. Save time and money by holding, positioning and locating quickly and easily with a wide variety of BuildPro® clamps and accessories.

In this economy, we know you need to be flexible and responsive to new business opportunities by reducing set-up time, improving consistency and work quality and remaining competitive in both pricing and delivery in a wide variety of jobs; short runs, volume production, prototypes, and multiple jobs in fabrication, repairs, and maintenance.

Accuracy:

Table flatness : 0.30mm / 914.4mm

Hole diameter : 16mm + 0.05mm

Hole spacing : 50mm ± 0.038mm

Plate thickness : 16mm ± 0.10mm

All BuildPro® Max Tables have 16mm thick steel plate with Ø16mm holes in a 50mm grid pattern.

The New BuildPro MAX has a continuous plate tabletop surface with 33% more machined holes than the standard, slotted BuildPro Tables, for a maximized work surface.

Use the BuildPro MAX to: Set-up heavy duty, large, or complex fixtures, or set-up more than one fixture at a time. Utilize the additional holes for clamping at multiple points for greater fixturing accuracy.

Features

- The nitriding (heat-treating) process is a mechanical polish and post salt bath oxidative treatment. The benefits of this process included: Anti-Spatter, Corrosion Protection, and Resistance to wear, lubricity and fatigue strength
- Ø16mm holes
- 16mm thick plate
- 50 x 50mm grid pattern
- 900mm table height
- Includes legs

Includes

- 1 x TMQD626125F - 2550 x 1250mm BuildPro Max Modular Welding Table - Nitrided Finish (W07725A)
- 6 x WT16-C1020 - Welding Table Clamp (W07831)
- 4 x WT16-C1030 - Welding Table Clamp (W07832)
- 4 x WT16-RC6 - Welding Table Rapid Clamp (W07836)
- 4 x WT16-RC9 - Welding Table Rapid Clamp (W07837)
- 4 x WT16-AB943 - Right Angle Bracket / Stop (W07841)
- 4 x WT16-AB993 - Right Angle Bracket / Stop (W07844)
- 2 x WT16-AB1405x1 - Right Angle Bracket / Stop (W07845)
- 2 x WT16-CSQ200 - Clamping Square (W07847)
- 2 x WT16-CSQ300 - Clamping Square (W07848)

HAFCO 2550 x 1250mm BuildPro Max Modular Welding Table - Nitrided - Package Deal TMQD626125F

- 2 x WT16-SB115 - Straight Bar Stop (W07862)
- 2 x WT16-SB150 - Straight Bar Stop (W07863)
- 2 x WT16-SB200 - Straight Bar Stop (W07864)
- 4 x WT16-EC50 - 50mm Eccentric Pad (W07887)
- 12 x WT16-BLP24 - Ball Lock Pin 16 x 24mm (W07891)
- 12 x WT16-BLP28 - Ball Lock Pin 16 x 28mm (W07892)
- 1 x WT16-CB16 - Steel Cleaning Brush (W07900)
- 1 x SCLP-16 - Locating Pin 16 x 40mm (W08504)
- 2 x SCVM-90135 - Magnetic Cross Type 90 / 135° V-Pad (4pc Pack) (W08506)
- 2 x SCV-90135 - Cross Type 90 / 135° V-Pad (4 Piece Pack) (W08507)
- 2 x SDC-50 - 50mm Side Clamp (2 Piece Pack) (W08508)

Specifications

ORDER CODE	K4046
MODEL	TMQD626125F Package Deal
Table Top Finish (Type)	BuildPro Max Table
Table Top Size (mm)	2550 x 1250
Table Height (mm)	900
Table Side Height (mm)	~
Top Plate Thickness (mm)	16
Grid Pattern (mm)	50 x 50
Table Hole Diameter (Ø)	16
Table Slots (mm)	~
Static Load Capacity (kg)	3000
Total W.L.L. (kg)	~
Number of Legs (No.)	6
Nett Weight (kg)	654