

SCHEPPACH Slik 7.0b



Oscillating Belt Sander

90 ~ 180° Tilting Sanding Belt & Includes Cabinet Stand



SCHEPPACH Oscillating Belt Sander Slik 7.0b



Tilting Sanding Belt 90-180 Degrees



Horizontal Sanding Belt Position



Table Guide Support



Table Guide Support Rear View



Front View



Right Rear View



Side View of Belt



Adjustable Table Height



Table Height Lowest Position



End Table View



End Table



Table Height Adjustment Handle



Table Height Locking Knob



Tilting Table Scale



Belt Angle Tilt Lever Lock




Quick Action Belt Tension Lever

SCHEPPACH Oscillating Belt Sander Slik 7.0b



Graphite Belt Pad



Material Stop




Rear Dust Extraction Port



Belt Tracking Adjustment



3hp Motor with Thermal Overload



Oscillating Gearbox & Motor



Mitre Guide



Mitre Guide Scale



Dust Port for End Table



Switch



Cabinet Stand



Included Accessories

SCHEPPACH Oscillating Belt Sander Slik 7.0b

Features

- German design & technology
- Oscillating sander with graphite pad for smooth operation
- Easy belt tracking adjustment
- Rear material guide stop
- Safety magnetic stop switch
- 90 ~ 180° tilting sanding belt
- 2515mm x 150mm belt with 16M/sec belt speed
- 90 ~ 40° tilting cast iron side table
- 850 x 300mm cast iron side table with 90mm height adjustment
- Table height adjustment via hand wheel located in convenient location
- 300 x 245mm cast iron end table with 130mm height adjustment
- 2.2kW / 3hp, 2800rpm, 240V direct drive motor
- Includes cabinet storage stand - spare belts, dust port, mitre guide & table guide support

Includes

- Cabinet storage stand
- End & side cast iron tables
- Spare finishing belts
- Aluminium mitre guide
- Table guide support

Specifications

ORDER CODE	L903
MODEL	Slik 7.0b
Belt Size (mm)	2515 x 150
Motor Power (kW / hp)	2.2 / 3
Voltage / Amperage (V / amp)	240 / 15
Motor Speed (rpm)	~
Floor Space (W x D x H) (mm)	1560 x 700 x 1290
Nett Weight (kg)	182