

LFSS DPM-1570

LFSS
ŞAHİN MAKİNA

Industrial Motorised Hydraulic Press - 150 Tonne

15hp 415V Motor, 300mm Ram Stroke & 800mm Height From Ram To Table



LFSS Industrial Motorised Hydraulic Press - 150 Tonne DPM-1570



Table Height Adjustment



Switch



Pressure Gauge



Hydraulic Controls

Description

150 Tonne Industrial Hydraulic Press

Suited for the Industrial workshop, for pressing of bearings, bushings & straightening shafts, bending steel as well as all general pressing applications

Features

- Heavy duty steel welded frame
- Hydraulic operated pressing ram
- 1570mm width between front posts
- Dual-speed joystick control (fast approach, slow bend)
- Pressure gauge fitted for easy control of pressing operations
- Heavy duty worktable with 5 adjustable positions
- Worktable can be adjusted using the provided chain system which works in conjunction with the hydraulic ram
- Safety overload valve
- Safety contactor switch with overload protection
- Built to CE regulations

Includes

- Pair of bending plates
- Table lifting and lowering chains
- Hydraulic oil

Specifications

ORDER CODE	P138
MODEL	DPM-1570
Pressing Capacity (Tonne)	150
Hydraulic Ram Operation (Type)	Motorised System
Sliding Ram (left-right) (Yes / No)	No
Width Between Front Posts (mm)	1570
Width Between Side Posts (mm)	285
Table Top Opening - (Front to Back) (mm)	355
Ram To Table (Max.) (mm)	800
Cylinder Stroke (mm)	300
Ram Diameter (mm)	Ø280
Piston Diameter (mm)	~

LFSS Industrial Motorised Hydraulic Press - 150 Tonne DPM-1570

Minimum Air Flow Rate required (L/Min)	~
Motor Power (kW / hp)	11 / 15
Voltage (V)	415
Floor Space (W x D x H) (mm)	2660 x 1050 x 2480
Nett Weight (kg)	2100