

**MEASUMAX 10-1391**



**MeasumaX**

**Screw Thread Micrometers**

**50-75mm**



**MEASUMAX Screw Thread Micrometers 10-1391**

V shaped and cone shaped anvils

**Description**

Measumax Screw Thread micrometers are suitable for measuring pitch diameters of Metric, Whitworth and Unified screw threads.

**Features**


- V-shaped and cone-shaped anvils (interchangeable) are supplied. Dimensions of anvil-tail: Ø5x15mm
- Ratchet friction thimble
- Painted frame, rotating spindle
- Graduation: 0.01mm

**Includes**

- Includes 60° Anvils
- F0102 0.6-0.9mm pitch
- F0103 1-1.75mm pitch
- F0104 2-3mm pitch
- F0105 3.5-5mm pitch
- F0106 5.5-7mm pitch

**Specifications**

**MEASUMAX Screw Thread Micrometers 10-1391**



**MEASUMAX Screw Thread Micrometers 10-1391**

**ORDER CODE**

**MEASUMAX Screw Thread Micrometers 10-1391**

Q1391

<b>Measuring Units</b>	Metric
<b>Range (mm / inch)</b>	50 - 75mm
<b>Graduation (mm)</b>	0.01mm
<b>Accuracy (mm)</b>	±0.004mm
<b>C (mm)</b>	50
<b>L (mm)</b>	92
<b>Anvils Supplied</b>	F0102 - F0106 (60° )