

**HAFCO-METALMASTER PR-3108**



**Motorised Plate Curving Rolls**

**3100 x 8mm Mild Steel Capacity**




## HAFCO-METALMASTER Motorised Plate Curving Rolls PR-3108



Foot Control



Control Panel




Support Rollers



Shown with Optional Ball Transfer Tables



Section Roll End with Flat Bar and Pipe Dies



Safety Wire Interlock System



Pipe Dies



Rear View New



Left Rear View

### Features

- Two rolls powered by gearbox and gear system
- Swing out end enables complete cylinder to be removed
- Heavy duty steel welded main frames
- Mobile control panel with foot pedals
- Precision ground rolls with wiring grooves
- Safety wire interlock system with emergency shut-off
- Motorised up & down top roll for curving adjustment
- Includes Section roll system with flat bar and pipe dies
- Mild steel capacity is rated on hot rolled material with 250MPA

## HAFCO-METALMASTER Motorised Plate Curving Rolls PR-3108

### Includes

- 2" (50mm) NB pipe dies
- 60 x 5mm flat bar or 60 x 60 x 5mm angle dies

### Specifications

|  |                    |
|--|--------------------|
| <b>ORDER CODE</b>                                | S770               |
| <b>MODEL</b>                                     | PR-3108            |
| <b>Curving System Type</b>                       | Pyramid            |
| <b>Curving Material Length (mm)</b>              | 3100               |
| <b>Curving Plate Thickness - Mild Steel (mm)</b> | 8                  |
| <b>Minimum Rolling Diameter (mm)</b>             | 400                |
| <b>Roll Diameter (mm)</b>                        | 210                |
| <b>Motor Power (kW / hp)</b>                     | 5.5 / 7.37         |
| <b>Voltage / Amperage (V / amp)</b>              | 415                |
| <b>Dimensions (LxWxH) (mm)</b>                   | 4700 x 1100 x 1450 |
| <b>Floor Space (L x W x H) (mm)</b>              | ~                  |
| <b>Nett Weight (kg)</b>                          | 4500               |