

SAFEWAY CHV-130V



Safeway Compact Hydraulic Vice


130mm Jaw Width



SAFEWAY Safeway Compact Hydraulic Vice CHV-130V



Shown with Handle



Insert


Description

Safeway Precision 130mm Compact Hydraulic Vice for use where precise work holding is required is a restricted space.

Features

- Precision ground on all surfaces
- Flame-hardened bed to HRC 45
- Semi-sphere to eliminate jaw lift
- swarf covers over leadscrew
- Toleranced for use as matched pairs

Specifications



ORDER CODE	V321
MODEL	CHV-130V
Jaw Width (mm)	130
D - Jaw Width (mm)	131
J - Jaw Opening (mm)	180

SAFEWAY Safeway Compact Hydraulic Vice CHV-130V

J1 - Jaw Opening with Optional Jaws (mm)	180 - 240
J2 - Jaw Opening with Optional Jaws (mm)	180 - 290
J3 - Jaw Opening with Optional Jaws (mm)	180 - 380
K - Jaw Height (mm)	52
Pressure (kgf)	4500
A (mm)	540
B (mm)	405
C (mm)	135
E (mm)	147
F (mm)	150
G (mm)	70
H (mm)	15
I (mm)	115
L (mm)	22
M (mm)	125
N (mm)	18
P (mm)	14
X (mm)	65
Y (mm)	95
Nett Weight (kg)	37