

SAFEWAY CHV-200V




Safeway Compact Hydraulic Vice

200mm Jaw Width



SAFEMET Precision Compact Hydraulic Vice CHV-200V



Insert



Front View



Low View

Description

Safemet Precision 200mm Compact Hydraulic Vice for use where precise work holding is required is a restricted space.

Features

- Precision ground on all surfaces
- Flame-hardened bed to HRC 45
- Semi-sphere to eliminate jaw lift
- Swarf covers over leadscrew
- Toleranced for use as matched pairs

Specifications

ORDER CODE	V323
MODEL	CHV-200V
Jaw Width (mm)	200
D - Jaw Width (mm)	201
J - Jaw Opening (mm)	280
J1 - Jaw Opening with Optional Jaws (mm)	280 - 360
J2 - Jaw Opening with Optional Jaws (mm)	280 - 420
J3 - Jaw Opening with Optional Jaws (mm)	280 - 540
K - Jaw Height (mm)	63
Pressure (kgf)	7000
A (mm)	705
B (mm)	570
C (mm)	135
E (mm)	170
F (mm)	173
G (mm)	90
H (mm)	18
I (mm)	150
L (mm)	22
M (mm)	125
N (mm)	18
P (mm)	14

SAFEWAY Safeway Compact Hydraulic Vice CHV-200V

X (mm)	82
Y (mm)	110
Nett Weight (kg)	80