

HAFCO-WOODMASTER WL-46A



Electronic Variable Speed Wood Lathe

Ø462mm Swing x 1194mm Between Centres



HAFCO-WOODMASTER Electronic Variable Speed Wood Lathe WL-46A



Motor with Belt Change Hand Lever and Lock



Variable Speed Display



150mm Faceplate



Toolrest



Tailstock



Heavy Cast Iron Legs

Description

The WL-46A is built to a high standard and capable of turning a 462mm diameter bowl over the bed and the bed is long enough to turn a 1194mm table leg or spindle. All the major castings are made up of thick section cast iron which gives a very solid feel to the lathe and guarantees a vibration-free experience in most applications.

Power is provided by a 1.5kW / 2hp motor driving the spindle through a pair of pulleys and controlled by a variable speed control situated at front of the head. The low speed range provides plenty of torque for the big turning jobs whilst the high speed range allows the necessary adequate speeds for smaller components that's required for finishing.

The front panel of the head has a digital rpm speed indicator, a safety on/off switch, a forward & reversing switch and an access panel for changing the belt pulley positions. Includes four prong drive centre, revolving tail centre, tool rest & faceplate.

Features

- Cast iron construction, bed, head and tailstock
- Electronic variable speed (100-3200rpm) with a digital readout
- Headstock is free to slide along the length of the bed
- Forward & reversing spindle direction switch
- 1.5kW / 2hp 240V motor
- Dust proof magnetic switch
- Heavy duty cast iron legs

HAFCO-WOODMASTER Electronic Variable Speed Wood Lathe WL-46A**Includes**

- Stand
- Drive Centre
- Live Centre
- 150mm Faceplate
- 355mm Toolrest
- Tailstock

Specifications

ORDER CODE	W387
MODEL	WL-46A
Swing Over Bed (mm)	462
Between Centres (mm)	1194
Spindle Nose Thread	30 x 3.5mm
Spindle Nose Taper (MT)	2
Spindle Speeds (rpm)	Variable 100 - 3200
Tailstock Taper (MT)	2
Motor Power (kW / hp)	1.5 / 2
Voltage / Amperage (V / amp)	240 / 10
Floor Space (W x D x H) (mm)	2130 x 630 x 1220
Floor Space With Option Stand (W x D x H) (mm)	~
Nett Weight (kg)	228