

HAFCO-WOODMASTER PT-305S



Planer & Thicknesser Combination - Spiral Cutter Head

305mm Wide Planer Capacity



HAFCO-WOODMASTER Planer & Thicknesser Combination - Spiral Cutter Head PT-305S



Spiral Cutter Head



Front View



Left Side View



Right Side View



Set Up as a Thicknesser



Thicknesser Setup - Rear View




Front Top View



Rear View



Rear Right View



Rear Top View



Dust Chute Set Up For Planer



Included Parts

Description

You now don't have to choose between buying a separate planer or a thicknesser – with the PT-305S you can have the best of both worlds in one machine. Hafco Woodmaster has designed a machine now that includes a "Spiral Cutter Head" that cuts your timber effortlessly smoother and quieter than the conventional HSS blades.

The surfacing tables are 1380mm long, made from cast iron and precision ground finish to ensure material to slide smoothly to produce accurate results. The spiral cutter head is fitted with German quality carbide inserts and powered by a powerful 3kW / 4hp, 240V motor that can handle the toughest timbers to achieve superior finish every time.

This versatile machine features an extra heavy duty cast aluminium extruded fence with centered controls for quick adjustments, and a built-in dust chute capable of handling both operations.

HAFCO-WOODMASTER Planer & Thicknesser Combination - Spiral Cutter Head PT-305S

Features

- Spiral cutter head with 56 carbide inserts
- Heavy-duty 3kW / 4hp 240V motor
- 305mm wide x 225mm high thicknesser capacity
- Auto-feed thicknesser rollers 5m/min
- 4800rpm cutter head speed
- 1380 x 310mm jointer table size
- Large aluminium fence tilts 45-90° with lever locking system and unique sliding design
- Heavy duty cast iron tables with ground finish to ensure accuracy and flatness
- Large hand-wheel for quick and precise adjustments of thickness height
- 100mm dust chute

Includes

- 5 x spare carbide inserts
- 10 x spare insert screws

Specifications

ORDER CODE	W612
MODEL	PT-305S
Planer Capacity (mm)	305
Cutter Head Type (HSS / Carb)	Carbide Inserts
Table Length - Planer (mm)	1380
Table Height - Planer (mm)	850
Length of Infeed Planer Table (mm)	715
Length of Outfeed Planer Table (mm)	635
Fence Length x Height (mm)	1200 x 150
Thicknesser Capacity (mm)	310 x 225
Table Length - Thicknesser (mm)	740 (with roller extension support)
Feed Speed (m/min)	5
Cutter Block Diameter (mm)	70
Cutter Block Speed (rpm)	4800
Motor Power (kW / hp)	3 / 4
Voltage / Amperage (V / amp)	240 / 15A
Floor Space (W x D x H) (mm)	1385 x 705 x 1000
Nett Weight (kg)	303