

HAFCO-WOODMASTER OS-140



Vertical Oscillating Bench Bobbin Sander

Ø1/2 - 2" Sanding Sleeves



HAFCO-WOODMASTER Vertical Oscillating Bench Bobbin Sander OS-140



Front View



Rear Left View



Top View



Left View



Rear Right View



Low View



Table Tilted 45 Degrees - Right View



Table Tilted 45 Degrees - Side View



Table Tilted 45 Degrees - Rear Left View



Table Tilted 45 Degrees - Top View



Table Tilted 45 Degrees - Front Left View



Table Tilted 45 Degrees - Right Side View



Table Tilted 45 Degrees - Rear Right View



Sanding Spindle Drive Attachment



Sanding Spindle Mounted



Table Insert for 45 Degree Sanding

HAFCO-WOODMASTER Vertical Oscillating Bench Bobbin Sander OS-140



Table Insert for 90 Degree Sanding



Ø50mm Rear Dust Chute Port



Table Tilted 45 Degrees - Rear View Close Up



Table Tilt Geared Adjusting Dial & Lock - Left View



Table Tilt Geared Adjusting Dial & Lock - Right View



Table Tilt Lock Lever & Angle Degree Scale




Storage Trays for Sanding Spindles



Storage Trays for Table Inserts & Spindles



Emergency Stop Switch



Safety Magnetic Start Stop Switch



Anti Vibration Rubber Feet



Table Inserts for 90 & 45 Degrees Sanding



Sanding Sleeves Included



Spanners

HAFCO-WOODMASTER Vertical Oscillating Bench Bobbin Sander OS-140

Description

Used for sanding deep and wide work pieces, front edges, narrow inner curves, horizontal, vertical, diagonal, with or across the grain

Features

- Rotating & oscillating action 24mm stroke @ 26 times per minute
- Heavy duty cast iron work table
- Table tilts up to 45° with graduated scale
- Ø50mm rear dust chute port
- Storage trays for sanding spindles, sleeves & table inserts
- Safety magnetic switch with emergency stop
- Anti vibration rubber feet
- Sanding sleeves (1/2", 3/4", 1", 1-1/2", 2"),
- 6 x table inserts & 1 x sleeve spanner

Specifications

| | |
|--|----------------------------|
| ORDER CODE | W792 |
| MODEL | OS-140 |
| Sanding Spindle Sleeve Sizes (Inch) | 1/2", 3/4", 1", 1-1/2", 2" |
| Table Size (mm) | 370 x 370 |
| Table Height (mm) | 485 |
| Oscillating Stroke (mm) | 24 |
| Sanding Spindle Speed (rpm) | 1425 |
| Tilting Work Table (Deg.) | 45° |
| Dust Port Size (mm) | Ø50 |
| Motor Power (kW / hp) | 0.37 / 0.5 |
| Voltage / Amperage (V / amp) | 240 / 10 |
| Floor Space (W x D x H) | 370 x 370 x 500 |
| Weight (kg) | 34.5 |